



**DUMP TRUCKS SECTION - RIDGED- ARTICUTATED HAULERS- TRACKED- SITE**

**ARTICULATED AND RIDGED DUMP TRUCKS**

<b>ASTRA - Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
RD38	4025 or 5025	4050 or 5060	4060 or D5060		NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
RD40	4025 or 5025	4050 or 5060	4060 or D5060		Ditto
<b>AVELING BARFORD - Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
RDO30	4025 or 5025	4050 or 5060	4060 or D5060	KAB301	NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
RDO50	4025 or 5025	4050 or 5060	4060 or D5060	KAB301	Ditto
RDO 55	4025 or 5025	4050 or 5060	4060 or D5060	KAB301	Ditto
<b>BELL- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
B25C	4025 or 5025	4050 or 5060	4060 or D5060	Sears	NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
B30B	4025 or 5025	4050 or 5060	4060 or D5060	Sears	Ditto
	4025 or 5025	4050 or 5060	4060 or D5060	Sears	Ditto
<b>BELLOLI- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
DM322	4025 or 5025	4050 or 5060	4060 or D5060		NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19236.901 required. This kit accommodates all bolt patterns up to 385 wide x 402mm (15 x15.8").

<b>CATERPILLAR- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
					NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19236.901 required. This kit accommodates all bolt patterns up to 385 wide x 402mm (15 x15.8").
D250E	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	
D330B	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
D300E	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
D350E	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
D400E	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
D2-D	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
D25D	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
D30D	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
D40D	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
769D	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
771D	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
773B	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
733C	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
773D	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
775D	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
777D	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
785B	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
789B	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
793B	4025 or 5025	4050 or 5060	4060 or D5060	Sears/CAT Contour	Ditto
<b>FIAT-HITACHI- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
					NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
AD30	4025 or 5025	4050 or 5060	4060 or D5060	KAB515	
<b>KOMATSU- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
					NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19236.901 required. This kit accommodates all bolt patterns up to 385 wide x 402mm (15 x15.8").
HD985-3	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	
HD785-5	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
HD605-5	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
HD465-5	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
HD405-6	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
HD325-6 4WD	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
HD325-6	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
HD325	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
210M	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
330M	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
530M	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
630E	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
685E	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
730E	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
830E	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
930E	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
HA250	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
HA270	4025 or 5025	4050 or 5060	4060 or D5060	KAB525 or ISRI	Ditto
<b>NORDSTROM- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
					NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
666B	4025 or 5025	4050 or 5060	4060 or D5060		
666 6X4	4025 or 5025	4050 or 5060	4060 or D5060		Ditto

<b>O &amp; K- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
K55B	4025 or 5025	4050 or 5060	4060 or D5060	ISRI	NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
K40-4	4025 or 5025	4050 or 5060	4060 or D5060	ISRI	Ditto
BD220	4025 or 5025	4050 or 5060	4060 or D5060	ISRI	Ditto
BD240	4025 or 5025	4050 or 5060	4060 or D5060	ISRI	Ditto
BD720	4025 or 5025	4050 or 5060	4060 or D5060	ISRI	Ditto
MT5500	4025 or 5025	4050 or 5060	4060 or D5060	ISRI	Ditto
MT4400	4025 or 5025	4050 or 5060	4060 or D5060	ISRI	Ditto
MT3700	4025 or 5025	4050 or 5060	4060 or D5060	ISRI	Ditto
MT3600	4025 or 5025	4050 or 5060	4060 or D5060	ISRI	Ditto
MT3300	4025 or 5025	4050 or 5060	4060 or D5060	ISRI	Ditto
MT3000	4025 or 5025	4050 or 5060	4060 or D5060	ISRI	Ditto
<b>PAYHAULER- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
350C	4025 or 5025	4050 or 5060	4060 or D5060		NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
<b>PERLINI- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
7133	4025 or 5025	4050 or 5060	4060 or D5060	BE GE	NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
DPT305	4025 or 5025	4050 or 5060	4060 or D5060	BE GE	Ditto
DP605	4025 or 5025	4050 or 5060	4060 or D5060	BE GE	Ditto
<b>TAMROCK (TORO)- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
SUPRA 0012H	4025 or 5025	4050 or 5060	4060 or D5060		NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
50D	4025 or 5025	4050 or 5060	4060 or D5060		Ditto
301D	4025 or 5025	4050 or 5060	4060 or D5060		Ditto
400D	4025 or 5025	4050 or 5060	4060 or D5060		Ditto
450D	4025 or 5025	4050 or 5060	4060 or D5060		Ditto
500D	4025 or 5025	4050 or 5060	4060 or D5060		Ditto
501D	4025 or 5025	4050 or 5060	4060 or D5060		Ditto
<b>THWAITES- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
TD12	4025 or 5025	4050 or 5060	4060 or D5060	Grammer	NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
<b>VOLVO- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
5350	4025 or 5025	4050 or 5060	4060 or D5060		NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
860S	4025 or 5025	4050 or 5060	4060 or D5060		Ditto
<b>WAGNER- Dumpers</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>



<b>LIEBHERR, Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
262	4025 or 5025	4050 or 5060	4060 or D5060	6000/575 or 6000/577	NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
<b>MOXY - Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
6225B	4025 or 5025	4050 or 5060	4060 or D5060		NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
5222B	4025 or 5025	4050 or 5060	4060 or D5060		Ditto
5225B	4025 or 5025	4050 or 5060	4060 or D5060		Ditto
MT30	4025 or 5025	4050 or 5060	4060 or D5060		Ditto
MT27	4025 or 5025	4050 or 5060	4060 or D5060		Ditto
<b>TEREX- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
2366	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
2566C	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	1. KAB 555 is the factory seat in late model machines. Installation kit SA19096.901 is required. if KAB 555 mounting pattern: 11"w x 13".
2766C	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
3066C	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
3305B	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
3305	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
3307	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
3309	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
3310	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
3311	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
3314	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
3333	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
3335**	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
3340**	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
3360B**	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
3310E**	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
33100B**	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
4066C**	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
** - LATE MODEL	4025 or 5025	4050 or 5060	4060 or D5060	KAB525	Ditto
TR35	4025 or 5025	4050 or 5060	4060 or D5060	KAB555 or MSG95/520	Ditto
TR40	4025 or 5025	4050 or 5060	4060 or D5060	KAB555 or MSG95/520	Ditto
TR45	4025 or 5025	4050 or 5060	4060 or D5060	KAB555 or MSG95/520	Ditto
TR60	4025 or 5025	4050 or 5060	4060 or D5060	KAB555 or MSG95/520	Ditto
TR70	4025 or 5025	4050 or 5060	4060 or D5060	KAB555 or MSG95/520	Ditto
TR200	4025 or 5025	4050 or 5060	4060 or D5060	KAB555 or MSG95/520	Ditto
MT5500	4025 or 5025	4050 or 5060	4060 or D5060	KAB555 or MSG95/520	Ditto
TA25	4025 or 5025	4050 or 5060	4060 or D5060	KAB555 or MSG95/520	Ditto
TA30	4025 or 5025	4050 or 5060	4060 or D5060	KAB555 or MSG95/520	Ditto
TA35	4025 or 5025	4050 or 5060	4060 or D5060	KAB555 or MSG95/520	Ditto
TA40	4025 or 5025	4050 or 5060	4060 or D5060	KAB555 or MSG95/520	Ditto

<b>SAMSUNG- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
210C	4025 or 5025	4050 or 5060	4060 or D5060		NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
130W	4025 or 5025	4050 or 5060	4060 or D5060		Ditto
<b>VOLVO- Articulated &amp; Ridged Dump trucks</b>					
<b>MODEL</b>	<b>OPTION 1</b>	<b>OPTION 2</b>	<b>OPTION 3 (Air Option)</b>	<b>OEM SEAT</b>	<b>COMMENTS</b>
A25B	4025 or 5025	4050 or 5060	4060 or D5060	ISRI or BE GE	NOTE: SD & R seat versions are the only seats recommended for mining applications. Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
A25C	4025 or 5025	4050 or 5060	4060 or D5060	ISRI or BE GE	Ditto
A30	4025 or 5025	4050 or 5060	4060 or D5060	ISRI or BE GE	Ditto
A30C	4025 or 5025	4050 or 5060	4060 or D5060	ISRI or BE GE	Ditto
A35	4025 or 5025	4050 or 5060	4060 or D5060	ISRI or BE GE	Ditto
A20	4025 or 5025	4050 or 5060	4060 or D5060	ISRI or BE GE	Ditto
A40	4025 or 5025	4050 or 5060	4060 or D5060	ISRI or BE GE	Ditto
A40C	4025 or 5025	4050 or 5060	4060 or D5060		Ditto

SITE DUMPERS		RECOMMENDED REPLACEMENT SEATING			
<b>AUSA Site dumpers</b>					
MODEL	OPTION 1	OPTION 2	OPTION 3	OEM SEAT	COMMENTS
<b>BARFORD Site dumpers</b>					
MODEL	OPTION 1	OPTION 2	OPTION 3	OEM SEAT	COMMENTS
SX9000	706	906		Sears/ Pilot	Direct replacement
SXR8000	706	906		Sears/ Pilot	Direct replacement
SX8000	706	906		Sears/ Pilot	Direct replacement
SXR7000	706	906		Sears/ Pilot	Direct replacement
SX7000	706	906		Sears/ Pilot	Direct replacement
SXR6000	706	906		Sears/ Pilot	Direct replacement
SX6000	706	906		Sears/ Pilot	Direct replacement
SX5000	706	906		Sears/ Pilot	Direct replacement
SXR5000	706	906		Sears/ Pilot	Direct replacement
SXR4000	706	906		Sears/ Pilot	Direct replacement
SXR3000	706	906		Sears/ Pilot	Direct replacement
SX3000	706	906		Sears/ Pilot	Direct replacement
SX2000	706	906		Sears/ Pilot	Direct replacement
<b>BENFORD site dumpers</b>					
MODEL	OPTION 1	OPTION 2	OPTION 3	OEM SEAT	COMMENTS
	706	906		DS44/MSG20	Fitting not confirmed
<b>LIFTON site dumpers</b>					
MODEL	OPTION 1	OPTION 2	OPTION 3	OEM SEAT	COMMENTS
LS2000	706	906			Fitting not confirmed
LS2700	706	906			Fitting not confirmed
LS4500	706	906			Fitting not confirmed
<b>MOROOKA site dumpers</b>					
MODEL	OPTION 1	OPTION 2	OPTION 3	OEM SEAT	COMMENTS
MST3000	706	906			Fitting not confirmed
MST2600	706	906			Fitting not confirmed
MST2200	706	906			Fitting not confirmed
MST2000	706	906			Fitting not confirmed
MST1500	706	906			Fitting not confirmed
MST700	706	906			Fitting not confirmed
MST600	706	906			Fitting not confirmed
<b>MULTIDRIVE site dumpers</b>					
MODEL	OPTION 1	OPTION 2	OPTION 3	OEM SEAT	COMMENTS
					Fitting not confirmed
<b>NEUSON site dumpers</b>					
MODEL	OPTION 1	OPTION 2	OPTION 3	OEM SEAT	COMMENTS
					Fitting not confirmed
<b>PICCINI site dumpers</b>					
MODEL	OPTION 1	OPTION 2	OPTION 3	OEM SEAT	COMMENTS
					Fitting not confirmed
<b>THWAITES Site dumpers</b>					
MODEL	OPTION 1	OPTION 2	OPTION 3	OEM SEAT	COMMENTS
				MSG20	Fitting not confirmed
<b>YANMAR Site dumpers</b>					
MODEL	OPTION 1	OPTION 2	OPTION 3	OEM SEAT	COMMENTS
2500					Fitting not confirmed