



LOADERS SECTION- BACKHOE-WHEELED-TRACKED-SKID STEER

WHEEL / TRACKED LOADERS RECOMMENDED REPLACEMENT SEATING

AHLMANN, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
AS 9	4020 or 4025	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
AL 7 D	4020 or 4025	1420	4050 or 4060		Ditto
ATLAS, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
82E	4020 or 4025	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
AR41B	4020 or 4025	1420	4050 or 4060		Ditto
CASE, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
621B	4020 or 4025	1420	4050 or 4060	Sears	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
721B	4020 or 4025	1420	4050 or 4060	Sears	Ditto
821B	4020 or 4025	1420	4050 or 4060	Sears	Ditto
921B	4020 or 4025	1420	4050 or 4060	Sears	Ditto

CATERPILLAR, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
902	4020 or 4025	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
906	4020 or 4025	1420	4050 or 4060		Ditto
908	4020 or 4025	1420	4050 or 4060		Ditto
914G	5020		D5060 or 5050	KAB 515	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
924G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. KAB seat requires kit SA19096.901
	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
924F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
928F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
928G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
936E	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
936F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
938F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
938G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
950F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
950G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
960F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
962G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
966C	5020	4020	D5060 or 5050	SEARS (CAT Contour)	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. KAB seat requires kit SA19096.901
966D	5020	4020	D5060 or 5050	SEARS (CAT Contour)	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. KAB seat requires kit SA19096.901
	5020	4020	D5060 or 5050	SEARS (CAT Contour)	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. KAB seat requires kit SA19096.901
	5020	4020	D5060 or 5050	SEARS (CAT Contour)	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. KAB seat requires kit SA19096.901
966E	5020	4020	D5060 or 5050	SEARS (CAT Contour)	Ditto
966F	5020	4020	D5060 or 5050	SEARS (CAT Contour)	Ditto
966G	5020	4020	D5060 or 5050	SEARS (CAT Contour)	Ditto
970F	5020	4020	D5060 or 5050	SEARS (CAT Contour)	Ditto
972G	5020	4020	D5060 or 5060	SEARS (CAT Contour)	Ditto
980G	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
988B	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
988F	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Important! Do not use non OE seat if machine is fitted with factory joy stick control,otherwise use installation kit SA19236.901
988F-11	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
990	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
990-11	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
992C	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
992D	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
992G	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
994D	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto

DAEWOO, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
MEGA 200	4020	4025	4050 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
John Deere, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
244E&G	4020	5020	D5060 or 5050	SEARS	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
	4020	5020	D5060 or 5050	SEARS	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
344E&G	4020	5020	D5060 or 5050	SEARS	Ditto
444E&G	4020	5020	D5060 or 5050	SEARS	Ditto
544E&G	4020	5020	D5060 or 5050	SEARS	Ditto
644E&G	4020	5020	D5060 or 5050	SEARS	Ditto
744E&G	4020	5020	D5060 or 5050	SEARS	Ditto
244H	4020	5020	D5060 or 5050	SEARS	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
344H	4020	5020	D5060 or 5050	SEARS	Ditto
444H	4020	5020	D5060 or 5050	SEARS	Ditto
544H	4020	5020	D5060 or 5050	SEARS	Ditto
644H	4020	5020	D5060 or 5050	SEARS	Ditto
744H	4020	5020	D5060 or 5050	SEARS	Ditto
Dresser Wheel loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
510C	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
512	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
515C	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
515CH	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
518	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
520C	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
520CH	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
525	4020		D5060 or 5050		Ditto
532	4020		D5060 or 5050		Ditto
538	4020		D5060 or 5050		Ditto
542	4020		D5060 or 5050		Ditto
545	4020		D5060 or 5050		Ditto
558	4020		D5060 or 5050		Ditto
560C	4020		D5060 or 5050		Ditto
568	4020		D5060 or 5050		Ditto

FIATALLIS, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS	
FR70	4020		4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
FR90	4020		4050			
FR90PL	4020		4050			
FR100	4020		4050			
FR120	4020		4050			
FR130.2	4020		4050			
FR140.2	4020		4050			
FR160.2	4020		4050			
FR180.2	4020		4050			
FR220.2	4020		4050			
Fiat-Hitachi, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS	
W450	4020	5020	4050 or 4060	KAB 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
W350	4020	5020	4050 or 4060	KAB 555		
W270	4020	5020	4050 or 4060	ISRI 6000/575		
W230	4020	5020	4050 or 4060	KAB 555		
W190	4020	5020	4050 or 4060	KAB 555		
W190 LB	4020	5020	4050 or 4060	KAB 555		
W170	4020	5020	4050 or 4060	KAB 555		
W170PL	4020	5020	4050 or 4060	KAB 555		
W130	4020	5020	4050 or 4060	KAB 555		
W130PL	4020	5020	4050 or 4060	KAB 555		
W110	4020	5020	4050 or 4060	KAB 555		
W90	4020	1420	4050 or 4060	DS85/90		
W80	4020	1420	4050 or 4060	DS85/90		
W70	4020	1420	4050 or 4060	DS85/90		
W60	4020	1420	4050 or 4060	DS85/90		
W50	4020	1420	4050 or 4060	DS85/90		
FURUKAWA, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT		COMMENTS
355	4020	1420	4050 or 4060			Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
HALLA, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS	
HA170	4020	1420	4050 or 4060	KAB	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
HANOMAG, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS	
15F	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
66D	4020	1420	4050 or 4060			
70E	4020	1420	4050 or 4060			
					Ditto	

HYUNDAI, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
730	4020	1420	4050 or 4060	KAB 525 or 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
750	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
760	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
770	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
MODELS FROM	4020	1420	4050 or 4060	KAB 525 or 555	
730.3	4020	1420	4050 or 4060	KAB 525 or 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
740.3	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
750.3	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
760.3	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
770.3	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
780.3	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
JCB, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
406	4020	1420	4050 or 4060	KAB 525 or 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
407B	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
408B	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
409	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
415	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
KAWASAKI, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
Z2	4020		4050 or 5050	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
Z3	4020		4050 or 5050	ISRI 6000/575	Ditto
	4020		4050 or 5050	ISRI 6000/575	Ditto
50Z	4020		4050 or 5050	ISRI 6000/575	Ditto
60Z	4020		4050 or 5050	ISRI 6000/575	Ditto
65Z	4020		4050 or 5050	ISRI 6000/575	Ditto
65TM	4020		4050 or 5050	ISRI 6000/575	Ditto
70Z	4020		4050 or 5050	ISRI 6000/575	Ditto
80Z	4020		4050 or 5050	ISRI 6000/575	Ditto
85Z	4020		4050 or 5050	ISRI 6000/575	Ditto
90Z	4020		4050 or 5050	ISRI 6000/575	Ditto
95Z	4020		4050 or 5050	ISRI 6000/575	Ditto
115Z	4020		4050 or 5050	ISRI 6000/575	Ditto
KOMATSU, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
WA65	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
WA65PT	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
WA75	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
WA85	4020	1420	4050 or 4060	KAB 525	Ditto
WA90	4020	1420	4050 or 4060	KAB 525	Ditto
WA95	4020	1420	4050 or 4060	KAB 525	Ditto
WA120	4020	1420	4050 or 4060	KAB 525	Ditto
WA180	4020	1420	4050 or 4060	KAB 525	Ditto
WA180PT	4020	1420	4050 or 4060	KAB 525	Ditto
WA270	4020	1420	4050 or 4060	KAB 525	Ditto
WA270PT	4020	1420	4050 or 4060	KAB 525	Ditto
WA320-A	4020	1420	4050 or 4060	KAB 525	Ditto
WA240	4020	1420	4050 or 4060	KAB 525	Ditto
WA450	4020	1420	4050 or 4060	KAB 525	Ditto
WA470	4020	1420	4050 or 4060	KAB 525	Ditto
WA500	4020	1420	4050 or 4060	KAB 525	Ditto
WA600	4020	1420	4050 or 4060	KAB 525	Ditto
WA700	4020	1420	4050 or 4060	KAB 525	Ditto
WA800	4020	1420	4050 or 4060	KAB 525	Ditto
WA900	4020	1420	4050 or 4060	KAB 525	Ditto
WA1200	4020	1420	4050 or 4060	KAB 525	Ditto

MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
KRAMER ALLRAD, Wheeled Loaders					
312	3010	4020	4050	Grammer	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
320	3010	4020	4050	Grammer	
420	3010	4020	4050	Grammer	
512SL	4020		4050	Grammer	
612	4020		4050	Grammer	
KUBOTA, Wheeled Loaders					
R510	3010	4020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
LIEBHERR, Wheeled Loaders					
L-506	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L-507	4020	1420	4050 or 4060	ISRI 6000/575	
L-514	4020	1420	4050 or 4060	ISRI 6000/575	
L-538	4020	1420	4050 or 4060	ISRI 6000/575	
L-551	4020	1420	4050 or 4060	ISRI 6000/575	
L-564	4020	1420	4050 or 4060		
MICHIGAN, Wheeled Loaders					
L270	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
55B	4020	1420	4050 or 4060		
O & K, Wheeled Loaders					
L45B	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L25.5	4020	1420	4050 or 4060		
L15	4020	1420	4050 or 4060		
600C					
PICCINI, Wheeled Loaders					
	4020	1420	4050 or 4060	MT	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
SAMSUNG, Wheeled Loaders					
SL180	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
SL330	4020	1420	4050 or 4060		
SCHAEFF, Wheeled Loaders					
SKL 851	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").

SCHOPF, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L60	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
TAMROCK (TORO), Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
TORO 0010	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
EJC210D	4020	1420	4050 or 4060		Ditto
EJC430	4020	1420	4050 or 4060		Ditto
TORO 650D	4020	1420	4050 or 4060		Ditto
TEREX, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
TM200-R	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
VOLVO, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L330D	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L220E	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L180D	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L160	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L150	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L150C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L150D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L120B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L120C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L120D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L90B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L90C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L90D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L70D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L50D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L45	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L40B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L35B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L32B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L30B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L302C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L402C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L502C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
ZEPELIN, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
ZL8B	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
ZL10B	4020	1420	4050 or 4060		Ditto

ZETTLMEYER, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
402	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
601B	4020	1420	4050 or 4060		Ditto
602	4020	1420	4050 or 4060		Ditto
602B	4020	1420	4050 or 4060		Ditto
602C	4020	1420	4050 or 4060		Ditto
702	4020	1420	4050 or 4060		Ditto
802	4020	1420	4050 or 4060		Ditto
1002i	4020	1420	4050 or 4060		Ditto
1801	4020	1420	4050 or 4060		Ditto
2002	4020	1420	4050 or 4060		Ditto
5002	4020	1420	4050 or 4060		

SKID STEER LOADERS					
BELLE Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
731	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
741	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
761	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
BENFORD Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
BOB CAT Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
973	1400	1200	1500	Sears FLS	Use SA19068 slide kit
963	1400	1200	1500	Sears FLS	Use SA19068 slide kit
864	1400	1200	1500	Sears FLS	Use SA19068 slide kit
863	1400	1200	1500	Sears FLS	Use SA19068 slide kit
843	1400	1200	1500	Sears FLS	Use SA19068 slide kit
753	1400	1200	1500	Sears FLS	Use SA19068 slide kit
743	1400	1200	1500	Sears FLS	Use SA19068 slide kit
553	1400	1200	1500	Sears FLS	Use SA19068 slide kit
CASE SKID STEERS					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
1818	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
1825	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1825B	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1835C	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1838	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1840	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1845C	1200 or 1100	1400 or 900	1500 or 1600		Ditto
CATERPILLAR Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
216	1400	900	1600	MILSCO	Use SA19068 slide kit
226	1400	900	1600	MILSCO	Use SA19068 slide kit
236	1400	900	1600	MILSCO	Use SA19068 slide kit
246	1400	900	1600	MILSCO	Use SA19068 slide kit
FERMEC Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
FIAT-HITACHI Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
SL65B	1200 or 1100	1400 or 900	1500 or 1600	KAB	Use SA19068 slide kit
SL55BH	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SL45B	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SL40B	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SL35B	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
JOHN DEERE Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
3375	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
4475	1200 or 1100	1400 or 900	1500 or 1600		Ditto
6675	1200 or 1100	1400 or 900	1500 or 1600		Ditto
7775	1200 or 1100	1400 or 900	1500 or 1600		Ditto
8875	1200 or 1100	1400 or 900	1500 or 1600		Ditto

GEHL, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
3310	1200 or 1100	1400 or 900	1500 or 1600	Milsco	Use SA19068 slide kit. May require installation kit SA19096.901.
3410	1200 or 1100	1400 or 900	1500 or 1600		Ditto
3825	1200 or 1100	1400 or 900	1500 or 1600		Ditto
4625	1200 or 1100	1400 or 900	1500 or 1600		Ditto
5625	1200 or 1100	1400 or 900	1500 or 1600		Ditto
6625	1200 or 1100	1400 or 900	1500 or 1600		Ditto
JCB, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
3CX	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
KOMATSU, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
SK09J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SK07J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SK05J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SK04J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
MACMOTER, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1005	1100 or 121	1520	MT	Use SA19068 slide kit
Melroe, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
450	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
453	1200 or 1100	1400 or 900	1500 or 1600		Ditto
553	1200 or 1100	1400 or 900	1500 or 1600		Ditto
751	1200 or 1100	1400 or 900	1500 or 1600		Ditto
753	1200 or 1100	1400 or 900	1500 or 1600		Ditto
773	1200 or 1100	1400 or 900	1500 or 1600		Ditto
763	1200 or 1100	1400 or 900	1500 or 1600		Ditto
863	1200 or 1100	1400 or 900	1500 or 1600		Ditto
873	1200 or 1100	1400 or 900	1500 or 1600		Ditto
953	1200 or 1100	1400 or 900	1500 or 1600		Ditto
MUSTANG Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
910	1200 or 1100	1400 or 900	1500 or 1600	Milsco	Use SA19068 slide kit. May require installation kit SA19096.901.
911	1200 or 1100	1400 or 900	1500 or 1600		Ditto
920	1200 or 1100	1400 or 900	1500 or 1600		Ditto
921	1200 or 1100	1400 or 900	1500 or 1600		Ditto
930A	1200 or 1100	1400 or 900	1500 or 1600		Ditto
940	1200 or 1100	1400 or 900	1500 or 1600		Ditto
960	1200 or 1100	1400 or 900	1500 or 1600		Ditto
NEW HOLLDAND Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
L250	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
L255	1200 or 1100	1400 or 900	1500 or 1600		Ditto
L465	1200 or 1100	1400 or 900	1500 or 1600		Ditto
LX485	1200 or 1100	1400 or 900	1500 or 1600		Ditto
L565	1200 or 1100	1400 or 900	1500 or 1600		Ditto
LX665	1200 or 1100	1400 or 900	1500 or 1600		Ditto
L865	1200 or 1100	1400 or 900	1500 or 1600		Ditto
LX885	1200 or 1100	1400 or 900	1500 or 1600		Ditto
	1200 or 1100	1400 or 900	1500 or 1600		
PICCINI Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1200 or 1100	1400 or 900	1500 or 1600	MT	Use SA19068 slide kit. May require installation kit SA19096.901.

THOMAS Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
T83S	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
T103	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T133S	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T132	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T173 HLS	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T203HD	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T233 HD	1200 or 1100	1400 or 900	1500 or 1600		Ditto
TRAK INTERNATIONAL Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
1300c	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
1300cx	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1500c	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1700c	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1700cx	1200 or 1100	1400 or 900	1500 or 1600		Ditto

CRAWLER LOADERS - RECOMMENDED REPLACEMENT SEATING					
CATERPILLAR - Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
933LGP	4025	4020	4050 or 4060	Sears (CAT Contour)	Installation kit SA19236.901 required. This kit accommodates all bolt patterns up to 385 wide x 402mm (15"x15.8").
933	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
935B	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
935C	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
939	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
951B	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
951C	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
953	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
953C	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
955K	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
955L	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
963	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
963B	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
963C	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
973	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
955L	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
963B	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
973B	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
JOHN DEERE, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
450C	3020	4020	4050 or 4060	Sears (JD DDH)	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
455G Series 1V	3020	4020	4050 or 4060	Sears (JD DDH)	Ditto
55G Series 1V	3020	4020	4050 or 4060	Sears (JD DDH)	Ditto
DRESSER - Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
100G	3020	4020	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
125G	3020	4020	4050 or 4060		Ditto
175G	3020	4020	4050 or 4060		Ditto
DRESSTA, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	4020		4050 or 4060	DS85/90	Ditto
FIAT-HITACHI, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FL175	3020	4020	4050 or 4060	KAB	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
FL145	3020	4020	4050 or 4060	KAB	Ditto
KOMATSU, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
D575S-1	3020	4020	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
D66S-1	3020	4020	4050 or 4060		Installation kit SA19096.901 required
D75S-1	3020	4020	4050 or 4060		Installation kit SA19096.901 required
LIEBHERR, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
752	4020		4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
755	4020		4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required
TAKEUCHI, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L1226	4020		4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").

BACKHOE LOADERS			RECOMMENDED REPLACEMENT SEATING		
CASE, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
570L XT	3010		4050		Remove existing seat and mount new seat to pedestal using SA10954.145 though mounting points in suspension. If pedestal is removed use installation kit SA18648.901
580C	3010		4050		Ditto
580K	3010		4050		Ditto
580L	3010		4050		Ditto
580 Super L	3010		4050		Ditto
590 Super L	3010		4050		Ditto
780	3010		4050		Ditto
CATERPILLAR, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
416B, C	4050T	4020T or 40	5050T or D5060	Sears	Sears factory seat mounts to 10.74" w x 14.75" pedestal which tops a 6" high sq. tube. Remove existing seat and mount new seat direct to this though mounting points in suspension. If pedestal is removed use installation kit SA18648.901
426B, C	4050T	4020T or 40	5050T or D5060	Sears	Ditto
428B, C	4050T	4020T or 40	5050T or D5060	Sears	Ditto
436B, C	4050T	4020T or 40	5050T or D5060	Sears	Ditto
438B, C	4050T	4020T or 40	5050T or D5060	Sears	Ditto
446B, C	4050T	4020T or 40	5050T or D5060	Sears	Ditto
EARTHFORCE,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FERMEC,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	4050T	4020T or 40	5050T or D5060	KAB 815	Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
FIAT-HITACHI,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FB200 4WS	4050T	4020T or 40	5050T or D5060	KAB 555	Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
FB110	4050T	4020T or 40	5050T or D5060	KAB 555	Ditto
FB100	4050T	4020T or 40	5050T or D5060	KAB 555	Ditto
FB90	4050T	4020T or 40	5050T or D5060	KAB 555	Ditto

FUCHS,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
714 MU	4020T or 4025T		4050T	ISRI 6000/575	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
MHL 320	4020T or 4025T		4050T		Ditto
HYDROMECH,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	4020T or 4025T		4050T	ISRI 6000/575	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
JOHN DEERE,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
300D	4050T	020T or 4025	5050T or D5060		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
310D	4050T	020T or 4025	5050T or D5060		Ditto
310E	4050T	020T or 4025	5050T or D5060		Ditto
310SE	4050T	020T or 4025	5050T or D5060		Ditto
315SE	4050T	020T or 4025	5050T or D5060		Ditto
410D	4050T	020T or 4025	5050T or D5060		Ditto
410E	4050T	020T or 4025	5050T or D5060		Ditto
510E	4050T	020T or 4025	5050T or D5060		Ditto
710D	4050T	020T or 4025	5050T or D5060		Ditto
JCB, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
210S	020T or 4025	1420T	4050T		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
214E	020T or 4025	1420T	4050T		Ditto
214	020T or 4025	1420T	4050T		Ditto
214	020T or 4025	1420T	4050T		Ditto
214, 4WD	020T or 4025	1420T	4050T		Ditto
214	020T or 4025	1420T	4050T		Ditto
214S	020T or 4025	1420T	4050T		Ditto
215 2WD	020T or 4025	1420T	4050T		Ditto
215, 4WD	020T or 4025	1420T	4050T		Ditto
217 4WD	020T or 4025	1420T	4050T		Ditto
217S, 4X4	020T or 4025	1420T	4050T		Ditto
506B	020T or 4025	1420T	4050T		Ditto
1400B	020T or 4025	1420T	4050T		Ditto
1550 4	020T or 4025	1420T	4050T		Ditto
214S, Series 2	020T or 4025	1420T	4050T		Ditto
214, Series 3	020T or 4025T		4050T		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
214E, Series 3	020T or 4025T		4050T		Ditto
215, Series 3	020T or 4025T		4050T		Ditto
KOBELCO, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
TLK 750	020T or 4025	1420T	4050T		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
TLK 760	020T or 4025	1420T	4050T		Ditto
TLK 860	020T or 4025	1420T	4050T		Ditto
TLK 965	020T or 4025	1420T	4050T		Ditto
KOMATSU, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
WB70A	020T or 4025	1420T	4050T	KAB 301	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
WB91A	020T or 4025	1420T	4050T	KAB 301	Ditto
WB91R-2	020T or 4025	1420T	4050T	KAB 301	Ditto
WB93R-2	020T or 4025	1420T	4050T	KAB 301	Ditto
WB97R-2	020T or 4025	1420T	4050T	KAB 301	Ditto
WB97S-2	020T or 4025	1420T	4050T	KAB 301	Ditto
WB98A	020T or 4025	1420T	4050T	KAB 301	Ditto

KUBOTA, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
B20	4020T or 4025	1420T	4050T		Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
L35	4020T or 4025	1420T	4050T		
	4020T or 4025	1420T	4050T		Ditto
NEW HOLLAND, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
555E	4020T or 4025	1420T	4050T		Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
575E	4020T or 4025	1420T	4050T		
655E	4020T or 4025	1420T	4050T		Ditto
675E	4020T or 4025	1420T	4050T		Ditto
VF VENIERI, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
9.23				DS85/90	Mounting information not confirmed
Volvo, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	4020T or 4025	1420T	4050T	ISRI	Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
	4020T or 4025	1420T	4050T	ISRI	
	4020T or 4025	1420T	4050T	ISRI	Ditto

CATERPILLAR, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
902	4020 or 4025	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
906	4020 or 4025	1420	4050 or 4060		Ditto
908	4020 or 4025	1420	4050 or 4060		Ditto
914G	5020		D5060 or 5050	KAB 515	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
924G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. KAB seat requires kit SA19096.901
	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
924F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
928F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
928G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
936E	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
936F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
938F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
938G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
950F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
950G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
960F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
962G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
966C	5020	4020	D5060 or 5050	SEARS (CAT Contour)	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. KAB seat requires kit SA19096.901
966D	5020	4020	D5060 or 5050	SEARS (CAT Contour)	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. KAB seat requires kit SA19096.901
	5020	4020	D5060 or 5050	SEARS (CAT Contour)	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. KAB seat requires kit SA19096.901
	5020	4020	D5060 or 5050	SEARS (CAT Contour)	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm). Kit SA19236.901 is required. KAB seat requires kit SA19096.901
966E	5020	4020	D5060 or 5050	SEARS (CAT Contour)	Ditto
966F	5020	4020	D5060 or 5050	SEARS (CAT Contour)	Ditto
966G	5020	4020	D5060 or 5050	SEARS (CAT Contour)	Ditto
970F	5020	4020	D5060 or 5050	SEARS (CAT Contour)	Ditto
972G	5020	4020	D5060 or 5060	SEARS (CAT Contour)	Ditto
980G	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
988B	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
988F	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Important! Do not use non OE seat if machine is fitted with factory joy stick control,otherwise use installation kit SA19236.901
988F-11	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
990	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
990-11	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
992C	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
992D	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
992G	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
994D	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto

MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
DAEWOO, Wheeled Loaders					
MEGA 200	4020	4025	4050 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
John Deere, Wheeled Loaders					
244E&G	4020	5020	D5060 or 5050	SEARS	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
	4020	5020	D5060 or 5050	SEARS	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
344E&G	4020	5020	D5060 or 5050	SEARS	Ditto
444E&G	4020	5020	D5060 or 5050	SEARS	Ditto
544E&G	4020	5020	D5060 or 5050	SEARS	Ditto
644E&G	4020	5020	D5060 or 5050	SEARS	Ditto
744E&G	4020	5020	D5060 or 5050	SEARS	Ditto
244H	4020	5020	D5060 or 5050	SEARS	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
344H	4020	5020	D5060 or 5050	SEARS	Ditto
444H	4020	5020	D5060 or 5050	SEARS	Ditto
544H	4020	5020	D5060 or 5050	SEARS	Ditto
644H	4020	5020	D5060 or 5050	SEARS	Ditto
744H	4020	5020	D5060 or 5050	SEARS	Ditto
Dresser Wheel loaders					
510C	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
512	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
515C	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
515CH	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
518	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
520C	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
520CH	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
525	4020		D5060 or 5050		Ditto
532	4020		D5060 or 5050		Ditto
538	4020		D5060 or 5050		Ditto
542	4020		D5060 or 5050		Ditto
545	4020		D5060 or 5050		Ditto
558	4020		D5060 or 5050		Ditto
560C	4020		D5060 or 5050		Ditto
568	4020		D5060 or 5050		Ditto

FIATALLIS, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FR70	4020		4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
FR90	4020		4050		Ditto
FR90PL	4020		4050		Ditto
FR100	4020		4050		Ditto
FR120	4020		4050		Ditto
FR130.2	4020		4050		Ditto
FR140.2	4020		4050		Ditto
FR160.2	4020		4050		Ditto
FR180.2	4020		4050		Ditto
FR220.2	4020		4050		Ditto
Fiat-Hitachi, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
W450	4020	5020	4050 or 4060	KAB 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
W350	4020	5020	4050 or 4060	KAB 555	Ditto
W270	4020	5020	4050 or 4060	ISRI 6000/575	Ditto
W230	4020	5020	4050 or 4060	KAB 555	Ditto
W190	4020	5020	4050 or 4060	KAB 555	Ditto
W190 LB	4020	5020	4050 or 4060	KAB 555	Ditto
W170	4020	5020	4050 or 4060	KAB 555	Ditto
W170PL	4020	5020	4050 or 4060	KAB 555	Ditto
W130	4020	5020	4050 or 4060	KAB 555	Ditto
W130PL	4020	5020	4050 or 4060	KAB 555	Ditto
W110	4020	5020	4050 or 4060	KAB 555	Ditto
W90	4020	1420	4050 or 4060	DS85/90	Ditto
W80	4020	1420	4050 or 4060	DS85/90	Ditto
W70	4020	1420	4050 or 4060	DS85/90	Ditto
W60	4020	1420	4050 or 4060	DS85/90	Ditto
W50	4020	1420	4050 or 4060	DS85/90	Ditto
FURUKAWA, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
355	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
HALLA, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
HA170	4020	1420	4050 or 4060	KAB	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
HANOMAG, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
15F	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
66D	4020	1420	4050 or 4060		Ditto
70E	4020	1420	4050 or 4060		Ditto

HYUNDAI, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS	
730	4020	1420	4050 or 4060	KAB 525 or 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
750	4020	1420	4050 or 4060	KAB 525 or 555		
760	4020	1420	4050 or 4060	KAB 525 or 555		
770	4020	1420	4050 or 4060	KAB 525 or 555		
MODELS FROM	4020	1420	4050 or 4060	KAB 525 or 555		
730.3	4020	1420	4050 or 4060	KAB 525 or 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
740.3	4020	1420	4050 or 4060	KAB 525 or 555		
750.3	4020	1420	4050 or 4060	KAB 525 or 555		
760.3	4020	1420	4050 or 4060	KAB 525 or 555		
770.3	4020	1420	4050 or 4060	KAB 525 or 555		
780.3	4020	1420	4050 or 4060	KAB 525 or 555		
JCB, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS	
406	4020	1420	4050 or 4060	KAB 525 or 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
407B	4020	1420	4050 or 4060	KAB 525 or 555		
408B	4020	1420	4050 or 4060	KAB 525 or 555		
409	4020	1420	4050 or 4060	KAB 525 or 555		
415	4020	1420	4050 or 4060	KAB 525 or 555		
	4020	1420	4050 or 4060	KAB 525 or 555	Ditto	
KAWASAKI, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS	
Z2	4020		4050 or 5050	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
Z3	4020		4050 or 5050	ISRI 6000/575		
	4020		4050 or 5050	ISRI 6000/575		
50Z	4020		4050 or 5050	ISRI 6000/575		
60Z	4020		4050 or 5050	ISRI 6000/575		
65Z	4020		4050 or 5050	ISRI 6000/575		
65TM	4020		4050 or 5050	ISRI 6000/575		
70Z	4020		4050 or 5050	ISRI 6000/575		
80Z	4020		4050 or 5050	ISRI 6000/575		
85Z	4020		4050 or 5050	ISRI 6000/575		
90Z	4020		4050 or 5050	ISRI 6000/575		
95Z	4020		4050 or 5050	ISRI 6000/575		
115Z	4020		4050 or 5050	ISRI 6000/575		
KOMATSU, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS	
WA65	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
WA65PT	4020	1420	4050 or 4060	ISRI 6000/575		
WA75	4020	1420	4050 or 4060	ISRI 6000/575		
WA85	4020	1420	4050 or 4060	KAB 525		
WA90	4020	1420	4050 or 4060	KAB 525		
WA95	4020	1420	4050 or 4060	KAB 525		
WA120	4020	1420	4050 or 4060	KAB 525		
WA180	4020	1420	4050 or 4060	KAB 525		
WA180PT	4020	1420	4050 or 4060	KAB 525		
WA270	4020	1420	4050 or 4060	KAB 525		
WA270PT	4020	1420	4050 or 4060	KAB 525		
WA320-A	4020	1420	4050 or 4060	KAB 525		
WA240	4020	1420	4050 or 4060	KAB 525		
WA450	4020	1420	4050 or 4060	KAB 525		
WA470	4020	1420	4050 or 4060	KAB 525		
WA500	4020	1420	4050 or 4060	KAB 525		
WA600	4020	1420	4050 or 4060	KAB 525		
WA700	4020	1420	4050 or 4060	KAB 525		
WA800	4020	1420	4050 or 4060	KAB 525		
WA900	4020	1420	4050 or 4060	KAB 525		
WA1200	4020	1420	4050 or 4060	KAB 525		

MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
KRAMER ALLRAD, Wheeled Loaders					
312	3010	4020	4050	Grammer	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
320	3010	4020	4050	Grammer	Ditto
420	3010	4020	4050	Grammer	Ditto
512SL	4020		4050	Grammer	Ditto
612	4020		4050	Grammer	Ditto
KUBOTA, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
R510	3010	4020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
LIEBHERR, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L-506	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L-507	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L-514	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L-538	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L-551	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L-564	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
MICHIGAN, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L270	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
55B	4020	1420	4050 or 4060		Ditto
O & K, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L45B	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L25.5	4020	1420	4050 or 4060		Ditto
L15	4020	1420	4050 or 4060		Ditto
600C					
PICCINI, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	4020	1420	4050 or 4060	MT	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
SAMSUNG, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
SL180	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
SL330	4020	1420	4050 or 4060		Ditto
SCHAEFF, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
SKL 851	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").

SCHOPF, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L60	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
TAMROCK (TORO), Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
TORO 0010	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
EJC210D	4020	1420	4050 or 4060		Ditto
EJC430	4020	1420	4050 or 4060		Ditto
TORO 650D	4020	1420	4050 or 4060		Ditto
TEREX, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
TM200-R	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
VOLVO, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L330D	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L220E	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L180D	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L160	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L150	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L150C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L150D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L120B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L120C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L120D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L90B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L90C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L90D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L70D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L50D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L45	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L40B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L35B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L32B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L30B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L302C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L402C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L502C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
ZEPPELIN, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
ZL8B	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
ZL10B	4020	1420	4050 or 4060		Ditto
ZETTLMEYER, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
402	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
601B	4020	1420	4050 or 4060		Ditto
602	4020	1420	4050 or 4060		Ditto
602B	4020	1420	4050 or 4060		Ditto
602C	4020	1420	4050 or 4060		Ditto
702	4020	1420	4050 or 4060		Ditto
802	4020	1420	4050 or 4060		Ditto
1002i	4020	1420	4050 or 4060		Ditto
1801	4020	1420	4050 or 4060		Ditto
2002	4020	1420	4050 or 4060		Ditto
5002	4020	1420	4050 or 4060		Ditto

MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
SKID STEER LOADERS					
BELLE Skid steer loaders					
731	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
741	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
761	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
BENFORD Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
BOB CAT Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
973	1400	1200	1500	Sears FLS	Use SA19068 slide kit
963	1400	1200	1500	Sears FLS	Use SA19068 slide kit
864	1400	1200	1500	Sears FLS	Use SA19068 slide kit
863	1400	1200	1500	Sears FLS	Use SA19068 slide kit
843	1400	1200	1500	Sears FLS	Use SA19068 slide kit
753	1400	1200	1500	Sears FLS	Use SA19068 slide kit
743	1400	1200	1500	Sears FLS	Use SA19068 slide kit
553	1400	1200	1500	Sears FLS	Use SA19068 slide kit
CASE SKID STEERS					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
1818	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
1825	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1825B	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1835C	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1838	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1840	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1845C	1200 or 1100	1400 or 900	1500 or 1600		Ditto
CATERPILLAR Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
216	1400	900	1600	MILSCO	Use SA19068 slide kit
226	1400	900	1600	MILSCO	Use SA19068 slide kit
236	1400	900	1600	MILSCO	Use SA19068 slide kit
246	1400	900	1600	MILSCO	Use SA19068 slide kit
FERMEC Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
FIAT-HITACHI Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
SL65B	1200 or 1100	1400 or 900	1500 or 1600	KAB	Use SA19068 slide kit
SL55BH	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SL45B	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SL40B	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SL35B	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
JOHN DEERE Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
3375	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
4475	1200 or 1100	1400 or 900	1500 or 1600		Ditto
6675	1200 or 1100	1400 or 900	1500 or 1600		Ditto
7775	1200 or 1100	1400 or 900	1500 or 1600		Ditto
8875	1200 or 1100	1400 or 900	1500 or 1600		Ditto

GEHL, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
3310	1200 or 1100	1400 or 900	1500 or 1600	Milisco	Use SA19068 slide kit. May require installation kit SA19096.901.
3410	1200 or 1100	1400 or 900	1500 or 1600		Ditto
3825	1200 or 1100	1400 or 900	1500 or 1600		Ditto
4625	1200 or 1100	1400 or 900	1500 or 1600		Ditto
5625	1200 or 1100	1400 or 900	1500 or 1600		Ditto
6625	1200 or 1100	1400 or 900	1500 or 1600		Ditto
JCB, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
3CX	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
KOMATSU, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
SK09J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SK07J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SK05J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SK04J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
MACMOTER, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
1005		1100 or 121	1520	MT	Use SA19068 slide kit
Melroe, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
450	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
453	1200 or 1100	1400 or 900	1500 or 1600		Ditto
553	1200 or 1100	1400 or 900	1500 or 1600		Ditto
751	1200 or 1100	1400 or 900	1500 or 1600		Ditto
753	1200 or 1100	1400 or 900	1500 or 1600		Ditto
773	1200 or 1100	1400 or 900	1500 or 1600		Ditto
763	1200 or 1100	1400 or 900	1500 or 1600		Ditto
863	1200 or 1100	1400 or 900	1500 or 1600		Ditto
873	1200 or 1100	1400 or 900	1500 or 1600		Ditto
953	1200 or 1100	1400 or 900	1500 or 1600		Ditto
MUSTANG Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
910	1200 or 1100	1400 or 900	1500 or 1600	Milisco	Use SA19068 slide kit. May require installation kit SA19096.901.
911	1200 or 1100	1400 or 900	1500 or 1600		Ditto
920	1200 or 1100	1400 or 900	1500 or 1600		Ditto
921	1200 or 1100	1400 or 900	1500 or 1600		Ditto
930A	1200 or 1100	1400 or 900	1500 or 1600		Ditto
940	1200 or 1100	1400 or 900	1500 or 1600		Ditto
960	1200 or 1100	1400 or 900	1500 or 1600		Ditto
NEW HOLLAND Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
L250	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
L255	1200 or 1100	1400 or 900	1500 or 1600		Ditto
L465	1200 or 1100	1400 or 900	1500 or 1600		Ditto
LX485	1200 or 1100	1400 or 900	1500 or 1600		Ditto
L565	1200 or 1100	1400 or 900	1500 or 1600		Ditto
LX665	1200 or 1100	1400 or 900	1500 or 1600		Ditto
L865	1200 or 1100	1400 or 900	1500 or 1600		Ditto
LX885	1200 or 1100	1400 or 900	1500 or 1600		Ditto
	1200 or 1100	1400 or 900	1500 or 1600		
PICCINI Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1200 or 1100	1400 or 900	1500 or 1600	MT	Use SA19068 slide kit. May require installation kit SA19096.901.

THOMAS Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
T83S	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
T103	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T133S	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T132	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T173 HLS	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T203HD	1200 or 1100	1400 or 900	1500 or 1600		Ditto
T233 HD	1200 or 1100	1400 or 900	1500 or 1600		Ditto
TRAK INTERNATIONAL Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
1300c	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
1300cx	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1500c	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1700c	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1700cx	1200 or 1100	1400 or 900	1500 or 1600		Ditto
CRAWLER LOADERS - RECOMMENDED REPLACEMENT SEATING					
CATERPILLAR - Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
933LGP	4025	4020	4050 or 4060	Sears (CAT Contour)	Installation kit SA19236.901 required. This kit accommodates all bolt patterns up to 385 wide x 402mm (15"x15.8").
933	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
935B	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
935C	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
939	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
951B	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
951C	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
953	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
953C	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
955K	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
955L	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
963	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
963B	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
963C	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
973	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
955L	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
963B	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
973B	4025	4020	4050 or 4060	Sears (CAT Contour)	Ditto
JOHN DEERE - Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
450C	3020	4020	4050 or 4060	Sears (JD DDH)	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
455G Series 1V	3020	4020	4050 or 4060	Sears (JD DDH)	Ditto
55G Series 1V	3020	4020	4050 or 4060	Sears (JD DDH)	Ditto
DRESSER - Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
100G	3020	4020	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
125G	3020	4020	4050 or 4060		Ditto
175G	3020	4020	4050 or 4060		Ditto
DRESSTA - Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	4020		4050 or 4060	DS85/90	Ditto

FIAT-HITACHI, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FL175	3020	4020	4050 or 4060	KAB	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
FL145	3020	4020	4050 or 4060	KAB	
KOMATSU, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
D575S-1	3020	4020	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
D68S-1	3020	4020	4050 or 4060		Installation kit SA19096.901 required
D75S-1	3020	4020	4050 or 4060		Installation kit SA19096.901 required
LIEBHERR, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
752	4020		4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
755	4020		4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required
TAKEUCHI, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L1226	4020		4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").

BACKHOE LOADERS			RECOMMENDED REPLACEMENT SEATING		
CASE, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
570L XT	3010		4050		Remove existing seat and mount new seat to pedestal using SA10954.145 through mounting points in suspension. If pedestal is removed use installation kit SA18648.901
580C	3010		4050		Ditto
580K	3010		4050		Ditto
580L	3010		4050		Ditto
580 Super L	3010		4050		Ditto
590 Super L	3010		4050		Ditto
780	3010		4050		Ditto
CATERPILLAR, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
416B, C	4050T	4020T or 40	5050T or D5060	Sears	Sears factory seat mounts to 10.74" w x 14.75" pedestal which tops a 6" high sq. tube. Remove existing seat and mount new seat direct to this through mounting points in suspension. If pedestal is removed use installation kit SA18648.901
426B, C	4050T	4020T or 40	5050T or D5060	Sears	Ditto
428B, C	4050T	4020T or 40	5050T or D5060	Sears	Ditto
436B, C	4050T	4020T or 40	5050T or D5060	Sears	Ditto
438B, C	4050T	4020T or 40	5050T or D5060	Sears	Ditto
446B, C	4050T	4020T or 40	5050T or D5060	Sears	Ditto
EARTHFORCE,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FERMEC,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	4050T	4020T or 40	5050T or D5060	KAB 815	Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
FIAT-HITACHI,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FB200 4WS	4050T	4020T or 40	5050T or D5060	KAB 555	Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
FB110	4050T	4020T or 40	5050T or D5060	KAB 555	Ditto
FB100	4050T	4020T or 40	5050T or D5060	KAB 555	Ditto
FB90	4050T	4020T or 40	5050T or D5060	KAB 555	Ditto

FUCHS,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
714 MU	4020T or 4025T		4050T	ISRI 6000/575	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
MHL 320	4020T or 4025T		4050T		Ditto
HYDROMEC,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	4020T or 4025T		4050T	ISRI 6000/575	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
JOHN DEERE,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
300D	4050T	020T or 4025	5050T or D5060		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
310D	4050T	020T or 4025	5050T or D5060		Ditto
310E	4050T	020T or 4025	5050T or D5060		Ditto
310SE	4050T	020T or 4025	5050T or D5060		Ditto
315SE	4050T	020T or 4025	5050T or D5060		Ditto
410D	4050T	020T or 4025	5050T or D5060		Ditto
410E	4050T	020T or 4025	5050T or D5060		Ditto
510E	4050T	020T or 4025	5050T or D5060		Ditto
710D	4050T	020T or 4025	5050T or D5060		Ditto
JCB, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
210S	020T or 4025	1420T	4050T		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
214E	020T or 4025	1420T	4050T		Ditto
214	020T or 4025	1420T	4050T		Ditto
214	020T or 4025	1420T	4050T		Ditto
214, 4WD	020T or 4025	1420T	4050T		Ditto
214	020T or 4025	1420T	4050T		Ditto
214S	020T or 4025	1420T	4050T		Ditto
215 2WD	020T or 4025	1420T	4050T		Ditto
215, 4WD	020T or 4025	1420T	4050T		Ditto
217 4WD	020T or 4025	1420T	4050T		Ditto
217S, 4X4	020T or 4025	1420T	4050T		Ditto
506B	020T or 4025	1420T	4050T		Ditto
1400B	020T or 4025	1420T	4050T		Ditto
1550 4	020T or 4025	1420T	4050T		Ditto
214S, Series 2	020T or 4025	1420T	4050T		Ditto
214, Series 3	020T or 4025T		4050T		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
214E, Series 3	020T or 4025T		4050T		Ditto
215, Series 3	020T or 4025T		4050T		Ditto
KOBELCO, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
TLK 750	020T or 4025	1420T	4050T		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
TLK 760	020T or 4025	1420T	4050T		Ditto
TLK 860	020T or 4025	1420T	4050T		Ditto
TLK 965	020T or 4025	1420T	4050T		Ditto
KOMATSU, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
WB70A	020T or 4025	1420T	4050T	KAB 301	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
WB91A	020T or 4025	1420T	4050T	KAB 301	Ditto
WB91R-2	020T or 4025	1420T	4050T	KAB 301	Ditto
WB93R-2	020T or 4025	1420T	4050T	KAB 301	Ditto
WB97R-2	020T or 4025	1420T	4050T	KAB 301	Ditto
WB97S-2	020T or 4025	1420T	4050T	KAB 301	Ditto
WB98A	020T or 4025	1420T	4050T	KAB 301	Ditto
KUBOTA, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
B20	020T or 4025	1420T	4050T		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
L35	020T or 4025	1420T	4050T		Ditto
	4020T or 4025	1420T	4050T		
NEW HOLLAND, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
555E	020T or 4025	1420T	4050T		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
575E	020T or 4025	1420T	4050T		Ditto
655E	020T or 4025	1420T	4050T		Ditto
675E	020T or 4025	1420T	4050T		Ditto
VF VENIERI, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
9.23				DS85/90	Mounting information not confirmed
Volvo, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	4020T or 4025	1420T	4050T	ISRI	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
	4020T or 4025	1420T	4050T	ISRI	Ditto
	4020T or 4025	1420T	4050T	ISRI	Ditto

DRESSTA - CRAWLER DOZERS				
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS
	4020		4050 or 4060	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
JOHN DEERE - CRAWLER DOZERS				
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS
450G	4020		4050 or 4060	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
450G LGP	4020		4050 or 4060	Ditto
550G	4020		4050 or 4060	Ditto
550G LPG	4020		4050 or 4060	Ditto
650G	4020		4050 or 4060	Ditto
650G LGP	4020		4050 or 4060	Ditto
750C	4020		4050 or 4060	Ditto
750C LGP	4020		4050 or 4060	Ditto
750C	4020		4050 or 4060	Ditto
850C	4020		4050 or 4060	Ditto
850C LGP	4020		4050 or 4060	Ditto
DRESSER Crawler Dozers				
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS
TD7H	4020		4050 or 4060	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
TD7H LGP	4020		4050 or 4060	Ditto
TD8H	4020		4050 or 4060	Ditto
TD8H LGP	4020		4050 or 4060	Ditto
TD9H	4020		4050 or 4060	Ditto
TD9H LGP	4020		4050 or 4060	Ditto
TD-12C	4020		4050 or 4060	Ditto
TD-12C LT	4020		4050 or 4060	Ditto
TD-12C LGP	4020		4050 or 4060	Ditto
TD-12CXP	4020		4050 or 4060	Ditto
TD-12CXP LGP	4020		4050 or 4060	Ditto
TD-15C	4020		4050 or 4060	Ditto
TD-15E	4020		4050 or 4060	Ditto
TD-15E LT	4020		4050 or 4060	Ditto
TD-15E LGP	4020		4050 or 4060	Ditto
TD-20G	4020		4050 or 4060	Ditto
TD-20G LT	4020		4050 or 4060	Ditto
TD-20G LGP	4020		4050 or 4060	Ditto
TD-2-G DB LGP	4020		4050 or 4060	Ditto
TD-25G	4020		4050 or 4060	Ditto
TD-40B	4020		4050 or 4060	Ditto

FIATALLIS, Crawler Dozers				
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS
FD9	4020		4050 or 4060	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
FD145	4020		4050 or 4060	
FD175	4020		4050 or 4060	
FD195L	4020		4050 or 4060	
FD255	4020		4050 or 4060	
FD30C	4020		4050 or 4060	
			4050 or 4060	
FIAT-HITACHI, Crawler Dozers				
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS
FD30C	4020		4050 or 4060	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
FD255	4020 or 4025SD		4050SD or 4060SD	Ditto NOTE: SD & R seat versions are the only seats recommended for mining applications.
D180	4020		4050 or 4060	
D150	4020		4050 or 4060	
D80	4020		4050 or 4060	
HANOMAG				
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS
D680E	4020		4050 or 4060	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
D680E LGP	4020		4050 or 4060	Ditto NOTE: SD & R seat versions are the only seats recommended for mining applications.

KOMATSU, Crawler Dozers				
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS
D31E-18	4020		4050	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
D31E-20	4020		4050	Installation kit SA19096.901
D31P-20	4020		4050	Ditto
D31S-17	4020		4050	Ditto
D32E	4020		4050	Ditto
D32P	4020		4050	Ditto
D37E-5	4020		4050	Ditto
D37P-5	4020		4050	Ditto
D38E	4020		4050	Ditto
D38P	4020		4050	Ditto
D39P	4020		4050	Ditto
D39E	4020		4050	Ditto
D41E	4020		4050	Ditto
D41E-6	4020		4050	Ditto
D41P-6	4020		4050	Ditto
D31E	4020		4050	Installation kit SA19096.901
D31P swamp	4020		4050	Installation kit SA19096.901
D37E	4020		4050	Installation kit SA19096.901
D37P swamp	4020		4050	Installation kit SA19096.901
D41E	4020		4050	Installation kit SA19096.901
D41P swamp	4020		4050	Installation kit SA19096.901
D58E-1B	4020		4050	Installation kit SA19096.901
D58P-1 B	4020		4050	Installation kit SA19096.901
D61EX	4020		4050	Installation kit SA19096.901
D61PX swamp	4020		4050	Installation kit SA19096.901
D65E - 8	4020		4050	Installation kit SA19096.901
D65EX - 12	4020		4050	Installation kit SA19096.901 required
D65PX - 12 swamp	4020		4050	Installation kit SA19096.901
D75S-S (old)	4020		4050	Installation kit SA19096.901
D75S-5	4020		4050	Installation kit SA19096.901
D85A/E	4020		4050	Installation kit SA19096.901
D85P swamp	4020		4050	Installation kit SA19096.901
D85E-21	4020		4050	Installation kit SA19096.901
D135A-2	4020		4050	Installation kit SA19096.901
D155A	4020		4050	Installation kit SA19096.901
D155AX-3	4020		4050	Installation kit SA19096.901
D275A-2	4020		4050	Installation kit SA19096.901
D355A-3	4020 or 4025SD		4050 or 4060	Ditto NOTE: SD & R seat versions are the only seats recommended for mining applications.
D355A-5	4020 or 4025SD		4050 or 4060	Ditto
D375-2	4020 or 4025SD		4050 or 4060	Ditto
D375A-3	4020 or 4025SD		4050 or 4060	Ditto
D475A-2	4020 or 4025SD		4050 or 4060	Ditto
D575A	4020 or 4025SD		4050 or 4060	Ditto

MACOMOTER Crawler Dozers				
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS
	4020		4050	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
CATERPILLAR - Wheeled dozers				
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	COMMENTS
814F	4020 or 4025SD		4050 or 4060	Installation kit SA19236.901 required. This kit accommodates all bolt patterns up to 385 wide x 402mm (15 x15.8").
824G	4020 or 4025SD		4050 or 4060	Ditto NOTE: SD & R seat versions are the only seats recommended for mining applications.
834B	4020 or 4025SD		4050 or 4060	Ditto
844	4020 or 4025SD		4050 or 4060	Ditto
854G	4020 or 4025SD		4050 or 4060	Ditto
				Ditto



LOADERS SECTION- BACKHOE-WHEELED-TRACKED-SKID STEER

WHEEL / TRACKED LOADERS RECOMMENDED REPLACEMENT SEATING

AHLMANN, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
AS 9	4020 or 4025	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
AL 7 D	4020 or 4025	1420	4050 or 4060		Ditto
ATLAS, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
82E	4020 or 4025	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
AR41B	4020 or 4025	1420	4050 or 4060		Ditto
CASE, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
621B	4020 or 4025	1420	4050 or 4060	Sears	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
721B	4020 or 4025	1420	4050 or 4060	Sears	Ditto
821B	4020 or 4025	1420	4050 or 4060	Sears	Ditto
921B	4020 or 4025	1420	4050 or 4060	Sears	Ditto

CATERPILLAR, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
902	4020 or 4025	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x 15.5").
906	4020 or 4025	1420	4050 or 4060		Ditto
908	4020 or 4025	1420	4050 or 4060		Ditto
914G	5020		D5060 or 5050	KAB 515	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x 15.5").
924G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm), Kit SA19236.901 is required. KAB seat requires kit SA19096.901
	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
924F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
928F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
928G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
936E	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
936F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
938F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
938G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
950F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
950G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
960F	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
962G	5020	4020	D5060 or 5050	SEARS (Contour)or KAB	Ditto
966C	5020	4020	D5060 or 5050	SEARS (CAT Contour)	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm), Kit SA19236.901 is required. KAB seat requires kit SA19096.901
966D	5020	4020	D5060 or 5050	SEARS (CAT Contour)	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm), Kit SA19236.901 is required. KAB seat requires kit SA19096.901
	5020	4020	D5060 or 5050	SEARS (CAT Contour)	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm), Kit SA19236.901 is required. KAB seat requires kit SA19096.901
	5020	4020	D5060 or 5050	SEARS (CAT Contour)	If replacing a CAT Contoured seat (bolt pattern 395mm x 402mm), Kit SA19236.901 is required. KAB seat requires kit SA19096.901
966E	5020	4020	D5060 or 5060	SEARS (CAT Contour)	Ditto
966F	5020	4020	D5060 or 5050	SEARS (CAT Contour)	Ditto
966G	5020	4020	D5060 or 5050	SEARS (CAT Contour)	Ditto
970F	5020	4020	D5060 or 5050	SEARS (CAT Contour)	Ditto
972G	5020	4020	D5060 or 5060	SEARS (CAT Contour)	Ditto
980G	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
988B	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
988F	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Important! Do not use non OE seat if machine is fitted with factory joy stick control,otherwise use installation kit SA19236.901
988F-11	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
990	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
990-11	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
992C	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
992D	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
992G	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto
994D	5025	4025	D5060 or 5060	SEARS (CAT Contour)	Ditto

DAEWOO, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
MEGA 200	4020	4025	4050 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
John Deere, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
244E&G	4020	5020	D5060 or 5050	SEARS	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
	4020	5020	D5060 or 5050	SEARS	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
344E&G	4020	5020	D5060 or 5050	SEARS	Ditto
444E&G	4020	5020	D5060 or 5050	SEARS	Ditto
544E&G	4020	5020	D5060 or 5050	SEARS	Ditto
644E&G	4020	5020	D5060 or 5050	SEARS	Ditto
744E&G	4020	5020	D5060 or 5050	SEARS	Ditto
244H	4020	5020	D5060 or 5050	SEARS	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
344H	4020	5020	D5060 or 5050	SEARS	Ditto
444H	4020	5020	D5060 or 5050	SEARS	Ditto
544H	4020	5020	D5060 or 5050	SEARS	Ditto
644H	4020	5020	D5060 or 5050	SEARS	Ditto
744H	4020	5020	D5060 or 5050	SEARS	Ditto
Dresser Wheel loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
510C	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
512	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
515C	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
515CH	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
518	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
520C	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
520CH	4020		D5060 or 5050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
525	4020		D5060 or 5050		Ditto
532	4020		D5060 or 5050		Ditto
538	4020		D5060 or 5050		Ditto
542	4020		D5060 or 5050		Ditto
545	4020		D5060 or 5050		Ditto
558	4020		D5060 or 5050		Ditto
560C	4020		D5060 or 5050		Ditto
568	4020		D5060 or 5050		Ditto

FIATALLIS, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS	
FR70	4020		4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
FR90	4020		4050			
FR90PL	4020		4050			
FR100	4020		4050			
FR120	4020		4050			
FR130.2	4020		4050			
FR140.2	4020		4050			
FR160.2	4020		4050			
FR180.2	4020		4050			
FR220.2	4020		4050			
Fiat-Hitachi, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS	
W450	4020	5020	4050 or 4060	KAB 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
W350	4020	5020	4050 or 4060	KAB 555		
W270	4020	5020	4050 or 4060	ISRI 6000/575		
W230	4020	5020	4050 or 4060	KAB 555		
W190	4020	5020	4050 or 4060	KAB 555		
W190 LB	4020	5020	4050 or 4060	KAB 555		
W170	4020	5020	4050 or 4060	KAB 555		
W170PL	4020	5020	4050 or 4060	KAB 555		
W130	4020	5020	4050 or 4060	KAB 555		
W130PL	4020	5020	4050 or 4060	KAB 555		
W110	4020	5020	4050 or 4060	KAB 555		
W90	4020	1420	4050 or 4060	DS85/90		
W80	4020	1420	4050 or 4060	DS85/90		
W70	4020	1420	4050 or 4060	DS85/90		
W60	4020	1420	4050 or 4060	DS85/90		
W50	4020	1420	4050 or 4060	DS85/90		
FURUKAWA, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT		COMMENTS
355	4020	1420	4050 or 4060			Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
HALLA, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS	
HA170	4020	1420	4050 or 4060	KAB	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
HANOMAG, Wheeled Loaders						
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS	
15F	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").	
66D	4020	1420	4050 or 4060			
70E	4020	1420	4050 or 4060			
					Ditto	

HYUNDAI, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
730	4020	1420	4050 or 4060	KAB 525 or 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
750	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
760	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
770	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
MODELS FROM 199	4020	1420	4050 or 4060	KAB 525 or 555	
730.3	4020	1420	4050 or 4060	KAB 525 or 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
740.3	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
750.3	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
760.3	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
770.3	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
780.3	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
JCB, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
406	4020	1420	4050 or 4060	KAB 525 or 555	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
407B	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
408B	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
409	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
415	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
	4020	1420	4050 or 4060	KAB 525 or 555	Ditto
KAWASAKI, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
Z2	4020		4050 or 5050	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
Z3	4020		4050 or 5050	ISRI 6000/575	Ditto
	4020		4050 or 5050	ISRI 6000/575	Ditto
50Z	4020		4050 or 5050	ISRI 6000/575	Ditto
60Z	4020		4050 or 5050	ISRI 6000/575	Ditto
65Z	4020		4050 or 5050	ISRI 6000/575	Ditto
65TM	4020		4050 or 5050	ISRI 6000/575	Ditto
70Z	4020		4050 or 5050	ISRI 6000/575	Ditto
80Z	4020		4050 or 5050	ISRI 6000/575	Ditto
85Z	4020		4050 or 5050	ISRI 6000/575	Ditto
90Z	4020		4050 or 5050	ISRI 6000/575	Ditto
95Z	4020		4050 or 5050	ISRI 6000/575	Ditto
115Z	4020		4050 or 5050	ISRI 6000/575	Ditto
KOMATSU, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
WA65	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
WA65PT	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
WA75	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
WA85	4020	1420	4050 or 4060	KAB 525	Ditto
WA90	4020	1420	4050 or 4060	KAB 525	Ditto
WA95	4020	1420	4050 or 4060	KAB 525	Ditto
WA120	4020	1420	4050 or 4060	KAB 525	Ditto
WA180	4020	1420	4050 or 4060	KAB 525	Ditto
WA180PT	4020	1420	4050 or 4060	KAB 525	Ditto
WA270	4020	1420	4050 or 4060	KAB 525	Ditto
WA270PT	4020	1420	4050 or 4060	KAB 525	Ditto
WA320-A	4020	1420	4050 or 4060	KAB 525	Ditto
WA240	4020	1420	4050 or 4060	KAB 525	Ditto
WA450	4020	1420	4050 or 4060	KAB 525	Ditto
WA470	4020	1420	4050 or 4060	KAB 525	Ditto
WA500	4020	1420	4050 or 4060	KAB 525	Ditto
WA600	4020	1420	4050 or 4060	KAB 525	Ditto
WA700	4020	1420	4050 or 4060	KAB 525	Ditto
WA800	4020	1420	4050 or 4060	KAB 525	Ditto
WA900	4020	1420	4050 or 4060	KAB 525	Ditto
WA1200	4020	1420	4050 or 4060	KAB 525	Ditto

MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
KRAMER ALLRAD, Wheeled Loaders					
312	3010	4020	4050	Grammer	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
320	3010	4020	4050	Grammer	Ditto
420	3010	4020	4050	Grammer	Ditto
512SL	4020		4050	Grammer	Ditto
612	4020		4050	Grammer	Ditto
KUBOTA, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
R510	3010	4020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
LIEBHERR, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L-506	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L-507	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L-514	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L-538	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L-551	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L-564	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
MICHIGAN, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L270	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
55B	4020	1420	4050 or 4060		Ditto
O & K, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L45B	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L25.5	4020	1420	4050 or 4060		Ditto
L15	4020	1420	4050 or 4060		Ditto
600C					
PICCINI, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	4020	1420	4050 or 4060	MT	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
SAMSUNG, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
SL180	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
SL330	4020	1420	4050 or 4060		Ditto
SCHAEFF, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
SKL 851	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").

SCHOPF, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L60	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
TAMROCK (TORO), Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
TORO 0010	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
EJC210D	4020	1420	4050 or 4060		Ditto
EJC430	4020	1420	4050 or 4060		Ditto
TORO 650D	4020	1420	4050 or 4060		Ditto
TEREX, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
TM200-R	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
VOLVO, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L330D	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L220E	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L180D	4020	1420	4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
L160	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L150	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L150C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L150D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L120B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L120C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L120D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L100B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L90C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L90D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L70D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L50D	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L45	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L40B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L35B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L32B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L30B	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L302C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L402C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
L502C	4020	1420	4050 or 4060	ISRI 6000/575	Ditto
ZEPPELIN, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
ZL8B	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
ZL10B	4020	1420	4050 or 4060		Ditto
ZETTLMEYER, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
402	4020	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
601B	4020	1420	4050 or 4060		Ditto
602	4020	1420	4050 or 4060		Ditto
602B	4020	1420	4050 or 4060		Ditto
602C	4020	1420	4050 or 4060		Ditto
702	4020	1420	4050 or 4060		Ditto
802	4020	1420	4050 or 4060		Ditto
1002i	4020	1420	4050 or 4060		Ditto
1801	4020	1420	4050 or 4060		Ditto
2002	4020	1420	4050 or 4060		Ditto
5002	4020	1420	4050 or 4060		Ditto

MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
SKID STEER LOADERS					
BELLE Skid steer loaders					
731	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
741	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
761	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
BENFORD Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
BOB CAT Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
973	1400	1200	1500	Sears FLS	Use SA19068 slide kit
963	1400	1200	1500	Sears FLS	Use SA19068 slide kit
964	1400	1200	1500	Sears FLS	Use SA19068 slide kit
963	1400	1200	1500	Sears FLS	Use SA19068 slide kit
843	1400	1200	1500	Sears FLS	Use SA19068 slide kit
753	1400	1200	1500	Sears FLS	Use SA19068 slide kit
743	1400	1200	1500	Sears FLS	Use SA19068 slide kit
553	1400	1200	1500	Sears FLS	Use SA19068 slide kit
CASE SKID STEERS					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
1818	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
1825	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1825B	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1835C	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1838	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1840	1200 or 1100	1400 or 900	1500 or 1600		Ditto
1845C	1200 or 1100	1400 or 900	1500 or 1600		Ditto
CATERPILLAR Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
216	1400	900	1600	MILSCO	Use SA19068 slide kit
226	1400	900	1600	MILSCO	Use SA19068 slide kit
236	1400	900	1600	MILSCO	Use SA19068 slide kit
246	1400	900	1600	MILSCO	Use SA19068 slide kit
FERMEC Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
FIAT-HITACHI Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
SL65B	1200 or 1100	1400 or 900	1500 or 1600	KAB	Use SA19068 slide kit
SL55BH	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SL45B	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SL40B	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SL35B	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
JOHN DEERE Skid steer loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
3375	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
4475	1200 or 1100	1400 or 900	1500 or 1600		Ditto
6675	1200 or 1100	1400 or 900	1500 or 1600		Ditto
7775	1200 or 1100	1400 or 900	1500 or 1600		Ditto
8875	1200 or 1100	1400 or 900	1500 or 1600		Ditto

GEHL, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
3310	1200 or 1100	1400 or 900	1500 or 1600	Milsko	Use SA19068 slide kit. May require installation kit SA19096.901.
3410	1200 or 1100	1400 or 900	1500 or 1600		Ditto
3825	1200 or 1100	1400 or 900	1500 or 1600		Ditto
4625	1200 or 1100	1400 or 900	1500 or 1600		Ditto
5625	1200 or 1100	1400 or 900	1500 or 1600		Ditto
6625	1200 or 1100	1400 or 900	1500 or 1600		Ditto
JCB, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
3CX	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
KOMATSU, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
SK09J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SK07J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SK05J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
SK04J	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit
MACMOTER, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1005	1100 or 1210	1520	MT	Use SA19068 slide kit
Melroe, Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
450	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
453	1200 or 1100	1400 or 900	1500 or 1600		Ditto
553	1200 or 1100	1400 or 900	1500 or 1600		Ditto
751	1200 or 1100	1400 or 900	1500 or 1600		Ditto
753	1200 or 1100	1400 or 900	1500 or 1600		Ditto
773	1200 or 1100	1400 or 900	1500 or 1600		Ditto
763	1200 or 1100	1400 or 900	1500 or 1600		Ditto
863	1200 or 1100	1400 or 900	1500 or 1600		Ditto
873	1200 or 1100	1400 or 900	1500 or 1600		Ditto
953	1200 or 1100	1400 or 900	1500 or 1600		Ditto
MUSTANG Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
910	1200 or 1100	1400 or 900	1500 or 1600	Milsko	Use SA19068 slide kit. May require installation kit SA19096.901.
911	1200 or 1100	1400 or 900	1500 or 1600		Ditto
920	1200 or 1100	1400 or 900	1500 or 1600		Ditto
921	1200 or 1100	1400 or 900	1500 or 1600		Ditto
930A	1200 or 1100	1400 or 900	1500 or 1600		Ditto
940	1200 or 1100	1400 or 900	1500 or 1600		Ditto
960	1200 or 1100	1400 or 900	1500 or 1600		Ditto
NEW HOLLAND Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
L250	1200 or 1100	1400 or 900	1500 or 1600		Use SA19068 slide kit. May require installation kit SA19096.901.
L255	1200 or 1100	1400 or 900	1500 or 1600		Ditto
L465	1200 or 1100	1400 or 900	1500 or 1600		Ditto
LX485	1200 or 1100	1400 or 900	1500 or 1600		Ditto
L565	1200 or 1100	1400 or 900	1500 or 1600		Ditto
LX665	1200 or 1100	1400 or 900	1500 or 1600		Ditto
L865	1200 or 1100	1400 or 900	1500 or 1600		Ditto
LX885	1200 or 1100	1400 or 900	1500 or 1600		Ditto
	1200 or 1100	1400 or 900	1500 or 1600		
PICCINI Skid Steer					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Deluxe option)	OEM SEAT	COMMENTS
	1200 or 1100	1400 or 900	1500 or 1600	MT	Use SA19068 slide kit. May require installation kit SA19096.901.

FIAT-HITACHI, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FL175	3020	4020	4050 or 4060	KAB	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
FL145	3020	4020	4050 or 4060	KAB	Ditto
KOMATSU, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
D575S-1	3020	4020	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
D66S-1	3020	4020	4050 or 4060		Installation kit SA19096.901 required
D75S-1	3020	4020	4050 or 4060		Installation kit SA19096.901 required
LIEBHERR, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
752	4020		4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
755	4020		4050 or 4060	ISRI 6000/575	Installation kit SA19096.901 required
TAKEUCHI, Crawler Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
L1226	4020		4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").

BACKHOE LOADERS		RECOMMENDED REPLACEMENT SEATING			
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
CASE, Backhoe Loader					
570L XT	3010		4050		Remove existing seat and mount new seat to pedestal using SA10954.145 through mounting points in suspension. If pedestal is removed use installation kit SA18648.901
580C	3010		4050		
580K	3010		4050		
580L	3010		4050		
580 Super L	3010		4050		
590 Super L	3010		4050		
780	3010		4050		
CATERPILLAR, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
416B_C	4050T	4020T or 4025T	5050T or D5060	Sears	Sears factory seat mounts to 10.74" w x 14.75" pedestal which tops a 6" high sq. tube. Remove existing seat and mount new seat direct to this through mounting points in suspension. If pedestal is removed use installation kit SA18648.901
426B_C	4050T	4020T or 4025T	5050T or D5060	Sears	
428B_C	4050T	4020T or 4025T	5050T or D5060	Sears	
436B_C	4050T	4020T or 4025T	5050T or D5060	Sears	
438B_C	4050T	4020T or 4025T	5050T or D5060	Sears	
446B_C	4050T	4020T or 4025T	5050T or D5060	Sears	
EARTHFORCE,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FERMEC,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	4050T	4020T or 4025T	5050T or D5060	KAB 815	Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
FIAT-HITACHI,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FB200 4WS	4050T	4020T or 4025T	5050T or D5060	KAB 555	Use installation kit SA18648.901. Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal through mounting points in suspension.
FB110	4050T	4020T or 4025T	5050T or D5060	KAB 555	
FB100	4050T	4020T or 4025T	5050T or D5060	KAB 555	
FB90	4050T	4020T or 4025T	5050T or D5060	KAB 555	

FUCHS,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
714 MU	4020T or 4025T		4050T	ISRI 6000/575	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pestetal to floor, then mount seat to pedestal though mounting points in suspension.
MHL 320	4020T or 4025T		4050T		Ditto
HYDROMEC,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	4020T or 4025T		4050T	ISRI 6000/575	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pestetal to floor, then mount seat to pedestal though mounting points in suspension.
JOHN DEERE,					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
300D	4050T	4020T or 4025T	5050T or D5060		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pestetal to floor, then mount seat to pedestal though mounting points in suspension.
310D	4050T	4020T or 4025T	5050T or D5060		Ditto
310E	4050T	4020T or 4025T	5050T or D5060		Ditto
310SE	4050T	4020T or 4025T	5050T or D5060		Ditto
315SE	4050T	4020T or 4025T	5050T or D5060		Ditto
410D	4050T	4020T or 4025T	5050T or D5060		Ditto
410E	4050T	4020T or 4025T	5050T or D5060		Ditto
510E	4050T	4020T or 4025T	5050T or D5060		Ditto
710D	4050T	4020T or 4025T	5050T or D5060		Ditto
JCB, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
210S	4020T or 4025T	1420T	4050T		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pestetal to floor, then mount seat to pedestal though mounting points in suspension.
214E	4020T or 4025T	1420T	4050T		Ditto
214	4020T or 4025T	1420T	4050T		Ditto
214	4020T or 4025T	1420T	4050T		Ditto
214, 4WD	4020T or 4025T	1420T	4050T		Ditto
214	4020T or 4025T	1420T	4050T		Ditto
214S	4020T or 4025T	1420T	4050T		Ditto
215 2WD	4020T or 4025T	1420T	4050T		Ditto
215, 4WD	4020T or 4025T	1420T	4050T		Ditto
217 4WD	4020T or 4025T	1420T	4050T		Ditto
217S, 4X4	4020T or 4025T	1420T	4050T		Ditto
506B	4020T or 4025T	1420T	4050T		Ditto
1400B	4020T or 4025T	1420T	4050T		Ditto
1550 4	4020T or 4025T	1420T	4050T		Ditto
214S, Series 2	4020T or 4025T	1420T	4050T		Ditto
214, Series 3	4020T or 4025T		4050T		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pestetal to floor, then mount seat to pedestal though mounting points in suspension.
214E, Series 3	4020T or 4025T		4050T		Ditto
215, Series 3	4020T or 4025T		4050T		Ditto
KOBELCO, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
TLK 750	4020T or 4025T	1420T	4050T		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pestetal to floor, then mount seat to pedestal though mounting points in suspension.
TLK 760	4020T or 4025T	1420T	4050T		Ditto
TLK 860	4020T or 4025T	1420T	4050T		Ditto
TLK 965	4020T or 4025T	1420T	4050T		Ditto
KOMATSU, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
WB70A	4020T or 4025T	1420T	4050T	KAB 301	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pestetal to floor, then mount seat to pedestal though mounting points in suspension.
WB91A	4020T or 4025T	1420T	4050T	KAB 301	Ditto
WB91R-2	4020T or 4025T	1420T	4050T	KAB 301	Ditto
WB93R-2	4020T or 4025T	1420T	4050T	KAB 301	Ditto
WB97R-2	4020T or 4025T	1420T	4050T	KAB 301	Ditto
WB97S-2	4020T or 4025T	1420T	4050T	KAB 301	Ditto
WB98A	4020T or 4025T	1420T	4050T	KAB 301	Ditto

KUBOTA, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
B20	4020T or 4025T	1420T	4050T		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
L35	4020T or 4025T	1420T	4050T		Ditto
	4020T or 4025T	1420T	4050T		
NEW HOLLAND, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
555E	4020T or 4025T	1420T	4050T		Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
575E	4020T or 4025T	1420T	4050T		Ditto
655E	4020T or 4025T	1420T	4050T		Ditto
675E	4020T or 4025T	1420T	4050T		Ditto
VF VENIERI, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
9.23				DS85/90	Mounting information not confirmed
Volvo, Backhoe Loader					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	4020T or 4025T	1420T	4050T	ISRI	Use installation kit SA18648.901.Remove existing seat and pedestal, mount pedestal to floor, then mount seat to pedestal though mounting points in suspension.
	4020T or 4025T	1420T	4050T	ISRI	Ditto
	4020T or 4025T	1420T	4050T	ISRI	Ditto